

UNIVERN SOLUTIONS

PRODUCT CATALOGUE



2021 - VOLUME 8

**WORK WEAR COVERALLS
AND
PERSONAL PROTECTION EQUIPMENT**



Contents

[PAGE 03 INTRODUCTION](#)

[PAGE 05 COVERALLS](#)

[PAGE 13 COVERALLS - WASHING GUIDE](#)

[PAGE 15 COVERALLS - LOGO & EMBROIDERY](#)

[PAGE 16 DISPOSABLE COVERALLS](#)

[PAGE 17 SAFETY FOOTWEAR](#)

[PAGE 21 HEAD PROTECTION](#)

[PAGE 24 HEARING PROTECTION](#)

[PAGE 25 EYE PROTECTION](#)

[PAGE 27 HAND PROTECTION](#)

[PAGE 41 RESPIRATOR PROTECTION](#)

[PAGE 42 EMERGENCY SHOWER AND EYEWASH](#)

[PAGE 43 MARINE LIFE JACKET](#)

[PAGE 46 SAFETY PRODUCT AND SAFETY SIGNAGE](#)

[PAGE 52 GENERAL TECHNICAL INFORMATION](#)

[PAGE 54 CONTACT PERSON](#)





About us :

Our business concept lies in the name. We are a provider of good solutions adapted to each company's needs. In a time where the supplier firms become larger and Customer Service often less flexible, it is our goal to offer customized solutions for you and your company's needs.

We want to be your partner in our core business - Work Coveralls and Personal Protective Equipment. With a wide range of quality brands, as well as our own production, we offer this directly to the customer without costly intermediaries.

Together with you, "the customer", we strive to find the best solutions with the aid of our skilled staff who have a combined total of over 200 years of experience in this particular industry. With good knowledge of the industry we will be able to guide your business to the safe and correct choices in Work Wear and Personal Protective Equipment.

We will strive to great lengths to help our customers' achieve their HSE goals in a safe and conducive working environment.

Our Asia Regional Head Office is based in Malaysia and we have offices in East Malaysia, Singapore and India. We also have distributors in Myanmar, Vietnam & Brunei.

Our Asian stocking facilities for most of the goods are in Malaysia and Singapore.

We will endeavour to keep adequate stocks in Malaysia and Singapore – however, in the event the stocks run out or a special request item, replenishments would be made available within a maximum period of four (4) weeks.



The contents of this catalogue is selected through inputs and evaluations from End Users, Safety Delegates, HSE Departments, Occupational Health Services and Manufacturers’.

The catalogue will be revised regularly by the Univern Solutions PPE Committee. If you have any comments regarding the items in the catalogue, or suggestions of new / other items, please send e-mail to lawrence.prosper@univernsolutions.my

We evaluated all factors in the selection process, both safety, quality, level of protection, user friendliness, comfort, price etc., and hopefully the content will cover all your needs when working on any Oil and Gas Installation.

Looking forward to your comments and input.



Work Wear Coveralls and PPE - COVERALLS

NOMEX Coveralls

- Fabric : NOMEX IIIA - Inherent Fabric.
- Weight Available : 200 grams.
- Lining : FR 200 grams.
- Composition : Nomex IIIA plain Weave.
- 2" REFLECTOSAFE FR rated reflectors around legs, arms and over the shoulders - **6 points**.
- YKK Zipper in the front. Comes with 2 sets of brass coated snap buttons on the front zipper.
- Two chest pockets with flaps and Brass Buttons. Two back pockets with flaps and brass coated snap button. Pencil pocket on the front left pocket. Two side pockets & two pencil pocket slot on the left arm sleeve with flap and tacking.
- One tool pocket on the right leg with flap and brass coated snap button. Pocket same size as front pocket.
- 1.5" Adjustable elastic waistband.
- Triple stitching throughout the garment.
- **FR thread** used throughout the garment.
- One brass coated snap button on each cuff and each leg opening.
- Two loops for gas badges on each shoulder and one loop on the waist band for glove holder to be positioned on the middle of the right side.
- Pleated darts on the back for easier fit.
- Shrinkage : Tested for maximum 3%.
- All NOMEX Coveralls to have the wording NOMEX on the outside of the left front pocket.
- All VT8 button to be brass coated snap buttons.



Standards :

EN ISO 11611:2007	: Protective clothing for use in Welding and Allied processes.
EN ISO 11612:2008	: Protective Clothing to protect against Heat and Flame.
EN 61482-1-2	: Protective clothing against the hazards of an electric arc.
NFPA 2112	: Flash Fire Protection Standards.
Standard for Reflector	: ASTM F 1506.

Packaging

: Individually Packed in a Poly-Bag

Colors Available

: Green, Orange, Red, Navy Blue.
(On request only)

UK sizes	34	36	38	40	42	44	46	48	50	52	54	56
EU sizes	44	46	48	50	52	54	56	58	60	62	64	66



Work Wear Coveralls and PPE - COVERALLS

MODACRYLIC Coveralls

- Fabric : Modacrylic - Inherent Fabric.
- Weight Available : 210 grams & 250 grams.
- Lining : FR 200 grams.
- Composition : Modacrylic - 55% , Cotton - 43% and Anti-Static - 2%.
- 2" REFLECTOSAFE FR rated reflectors around legs, arms and over the shoulders - **6 points**.
- YKK Zipper in the front. Comes with 2 sets of brass coated snap buttons on the front zipper.
- Two chest pockets with flaps and Brass Buttons. Two back pockets with flaps and brass coated snap button. Pencil pocket on the front left pocket. Two side pockets & two pencil pocket slot on the left arm sleeve with flap and tacking.
- One tool pocket on the right leg with flap and brass coated snap button. Pocket same size as front pocket.
- 1.5" Adjustable elastic waistband.
- Triple stitching throughout the garment.
- **FR thread** used throughout the garment.
- One brass coated snap button on each cuff and each leg opening.
- Two loops for gas badges on each shoulder and one loop on the waist band for glove holder to be positioned on the middle of the right side.
- Pleated darts on the back for easier fit.
- Shrinkage : Tested for maximum 3%.
- All MODACRYLIC Coveralls to have the wording MODACRYLIC on the outside of the left front pocket.
- All VT8 button to be brass coated snap buttons.



Standards :

EN ISO 11611:2015	: Protective clothing for use in Welding and Allied processes.
EN ISO 11612:2015	: Protective Clothing to protect against Heat and Flame.
EN 61482-1-2	: Protective clothing against the hazards of an electric arc.
NFPA 2112	: Flash Fire Protection Standards.
Standard for Reflector	: ASTM F 1930.

Packaging

: Individually Packed in a Poly-Bag

Colors Available

: Green, Orange, Red, Navy Blue.

(On request only)

UK sizes	34	36	38	40	42	44	46	48	50	52	54	56
EU sizes	44	46	48	50	52	54	56	58	60	62	64	66



Work Wear Coveralls and PPE - COVERALLS

Proban Coveralls

- Fabric : Pre-Shrunk Proban Cotton FR.
- Weight Available : 250 grams.
- Lining : FR 200 grams.
- 2" REFLECTOSAFE FR rated reflectors around legs, arms and over the shoulders - **6 points**.
- YKK Zipper in the front. Comes with 2 sets of brass coated snap buttons on the front zipper.
- Two chest pockets with flaps and Brass Buttons. Two back pockets with flaps and brass coated snap button. Pencil pocket on the front left pocket. Two side pockets & two pencil pocket slot on the left arm sleeve with flap and tacking.
- One tool pocket on the right leg with flap and brass coated snap button. Pocket same size as front pocket.
- 1.5" Adjustable elastic waistband.
- Triple stitching throughout the garment.
- **FR thread** used throughout the garment.
- One brass coated snap button on each cuff and each leg opening.
- Two loops for gas badges on each shoulder and one loop on the waist band for glove holder to be positioned on the middle of the right side.
- Pleated darts on the back for easier fit.
- Shrinkage : Tested for maximum 3%.
- All PROBAN Coveralls to have the wording PROBAN on the outside of the left front pocket.
- FR Label on the arm sleeve.
- All VT8 button to be brass coated snap buttons.



Standards :

EN ISO 11611:2015	: Protective clothing for use in Welding and Allied processes.
EN ISO 11612:2015	: Protective Clothing to protect against Heat and Flame.
EN 61482-1-2	: Protective clothing against the hazards of an electric arc.
NFPA 2112	: Flash Fire Protection Standards.
Standard for Reflector	: ASTM F 1506.

Packaging

: Individually Packed in a Poly-Bag

Colors Available

: Green, Orange, Red, Navy Blue.

(On request only)

UK sizes	34	36	38	40	42	44	46	48	50	52	54	56
EU sizes	44	46	48	50	52	54	56	58	60	62	64	66



Work Wear Coveralls and PPE - COVERALLS

FR Coveralls

- Fabric : 99% Cotton & 1% Antistatic.
- Weight Available : 230 grams.
- Lining : FR 200 grams.
- 2" Reflective stripes double stitched around legs, arms and over the shoulders - **6 points.**
- YKK Zipper in the front. Comes with 2 sets of brass coated snap button on the front zipper.
- Two chest pockets with flaps and Brass Buttons. Two back pockets with flaps and Brass Buttons. Pencil pocket on the front left pocket. Two side pockets & two pencil pocket slot on the left arm sleeve.
- One tool pocket on the right leg with flap and brass coated snap button. Pocket same size as front pocket.
- 1.5" Adjustable elastic waistband.
- Triple stitching throughout the garment.
- One brass coated snap button on each cuff and each leg opening.
- Two loops for gas badges on each shoulder.
- Pleated darts on the back for easier fit.
- Shrinkage : Tested for maximum 3%.
- All PYROVATEX Coveralls to have the wording PYROVATEX on the outside of the left front pocket.
- FR label on the arm sleeves and on the right front pocket.



Standards :

EN ISO 11611:2015

: Protective clothing for use in Welding and Allied processes.

EN 61482-1-2

: Protective clothing against the hazards of an electric arc.

EN ISO 11612:2015

EN 1149-3

Packaging

: Individually Packed in a Poly-Bag

Colors Available

: Green.

UK sizes	34	36	38	40	42	44	46	48	50	52	54	56
EU sizes	44	46	48	50	52	54	56	58	60	62	64	66



Work Wear Coveralls and PPE - COVERALLS

FR Coveralls

- Fabric : 100% Pre-Shrunk Cotton FR.
- Weight Available : 250 grams.
- 2" FR Rated Reflective stripes double stitched around legs, arms and over the shoulders - **6 points**.
- YKK Zipper in the front. Comes with 2 sets of brass coated snap button on the front zipper.
- Two chest pockets with flaps and Brass Buttons. Two back pockets with flaps and Brass Buttons. Pencil pocket on the front left pocket. Two side pockets & two pencil pocket slot on the left arm sleeve with flap and tacking.
- One tool pocket on the right leg with flap and brass coated snap button. Pocket same size as back pocket.
- 1.5" Adjustable elastic waistband on the left and right side only.
- Triple stitching throughout the garment.
- One brass coated snap button on each cuff and each leg opening.
- Two loops for gas badges on each shoulder and one loop on the waist band for glove holder to be positioned on the middle of the right side.
- Shrinkage : Tested for maximum 3%.
- All PYROVATEX Coveralls to have the wording PYROVATEX on the outside of the left front pocket.
- FR label on the arm sleeves and on the right front pocket.



Standards :

EN ISO 11612:2015	: Protective Clothing to protect against Heat and Flame.
EN 61482-1-2	: Protective clothing against the hazards of an electric arc.
Standard for Reflector	: ASTM F 1506.

Packaging

: Individually Packed in a Poly-Bag.

Color

: Red, Navy Blue.

(OTHER COLORS & WEIGHT ON REQUEST)

UK sizes	34	36	38	40	42	44	46	48	50	52	54	56
EU sizes	44	46	48	50	52	54	56	58	60	62	64	66



Work Wear Coveralls and PPE - COVERALLS

100% Cotton Coveralls

- Fabric : 100% Pre-Shrunk Cotton.
- Weight Available : 230 grams.
- 2" 3M 8910 Reflective stripes double stitched around legs, arms and over the shoulders - **6 points**.
- YKK Zipper in the front. Comes with 2 sets of brass coated snap button on the front zipper.
- Two chest pockets with flaps and Brass Buttons. Two back pockets (opening). Pencil pocket on the front left pocket. Two side pockets & two pencil pocket slot on the left arm sleeve with flap and tacking.
- One tool pocket on the right leg with flap and brass coated snap button. Pocket same size as back pocket.
- 1.5" Adjustable elastic waistband at the back.
- Triple stitching throughout the garment.
- One brass coated snap button on each cuff and each leg opening.
- Two loops for gas badges on each shoulder and one loop on the waist band for glove holder to be positioned on the middle of the right side.
- Shrinkage : Tested for maximum 3%.

Packaging

Colors Available

: Individually Packed in a Poly-Bag

: Red, Navy Blue.

(OTHER COLORS & WEIGHT ON REQUEST)



UK sizes	34	36	38	40	42	44	46	48	50	52	54	56
EU sizes	44	46	48	50	52	54	56	58	60	62	64	66



Work Wear Coveralls and PPE - COVERALLS

Short Sleeve Cotton Lightweight Coveralls

- Fabric : 100% Cotton.
- 1" Reflectors on each leg.
- YKK Plastic Zipper in the front.
- Two chest pockets and two back pockets with flaps and Velcro fastener.
- Two side pockets.
- Triple stitching throughout the garment.
- 1.5" Adjustable elastic waistband .
- Comes with 3 sets of Brass Snap Buttons covering the front zipper.
- Pleated darts on the back for easier fit.
- Shrinkage : Tested for maximum 3%.

Packaging

: Individually Packed in a Poly-Bag

Colors Available

: Grey, Navy Blue.

(OTHER COLORS & WEIGHT ON REQUEST)



UK sizes	34	36	38	40	42	44	46	48	50	52	54	56
EU sizes	44	46	48	50	52	54	56	58	60	62	64	66





Work Wear Coveralls and PPE - COVERALLS

SIZE CHART LONG SLEEVE & SHORT SLEEVE COVERALLS

UK Size		34	36	38	40	42	44	46	48	50	52	54	56
A	Shoulder - L/R	17.5	18.5	19.5	20.5	21.5	22.5	23.5	24.5	25.5	26.5	27.5	28.5
B1	Long Sleeve - L	23	23	23.5	24	24	24	24.5	25	25	25.5	25.5	26
B2	Short Sleeve - L	9.5	10	10.5	11	11.5	12	12.5	13	13.5	14	15	15.5
C	Leg Outer - L	38.5	39.5	40.5	41.5	42.5	43.5	43.5	44	44.5	44.5	45	45.5
D	Leg Opening - L	8.5	9	9	9.5	9.5	10	10	10	10	10.5	11	11
E	Shirt - L	18	18.5	19	19.5	20	20.5	21	21.5	21.5	22	22	22.5
F	Chest - L	20	21	22	23	24	25	26	27	28	29	30	31
G	Collar - L	15.5	16	16.5	17	17.5	18	18	18.5	18.5	19	19	19.5
H	Arm Hole - SH	10	10.5	11	11.5	12	12.5	12.7 5	13	13.2 5	13.5	13.7 5	14

Comparison Size EU & UK :

UK sizes	34	36	38	40	42	44	46	48	50	52	54	56
EU sizes	44	46	48	50	52	54	56	58	60	62	64	66



Noted : All Measurement Are In Inches



Work Wear Coveralls and PPE - COVERALLS - WASHING GUIDE

Washing Guide

General Guidelines

- Launder separately from non-flame resistant garments. Lint from these garments may affect flame resistance.
- Do Not Use Chlorine bleach as it will reduce garment life.
- Garments with very oily or greasy stains may be pre-treated and washed in hot water (140 F Maximum). Dry cleaning may be more effective on these kinds of stains.
- This fabric dries rapidly; for lowest shrinkage Do Not Over Dry.

Home Laundering

- Permanent press or cotton/sturdy wash cycle with cold or warm water. Permanent press cycle is recommended for best appearance over the life of the garment.
- Use detergent only. Do Not Use Soaps as it may leave deposits on the fabric that affects flame resistance.
- Tumble dry. Permanent press cycle for best appearance.

Industrial Laundering

- For best appearance and longest service life, launder with High-surfactant, low alkalinity detergent formulations in cold or warm water. Garments can be laundered at higher temperatures (140F maximum recommended) without fabric damage, but additional color loss may result.
- High-surfactant, low alkalinity detergent formulations are recommended for best cleaning and color retention. Wash bath pH values should not exceed 9 to 10. Color loss, excessive shrinkage and reduced garment life may result from repeated exposure to excessive temperature and pH in laundering.
- Soil re-deposition can be minimized by using correct load size (60-70% of rated maximum weight), wash formula and rinse procedure. For most effective cleaning use a "Multiple Adds Procedure" (break and second suds).
- For optimum garment life and reduced wrinkling rinse cycles should end with final rinse temperature of 85-95 F and pH at or slightly above 7. Temperature step-downs between baths should not exceed 15 F.
- Tumble dryer basket temperatures should not exceed 200 F with 130-160 F stack temperature.
- Smoother garments and longer wear life may result from tunnel drying. Garment temperature should not exceed 280 F.
- Garments may be pressed or tunnel finished, if desired. Determine best conditions to prevent fabric glazing or color loss before adopting a procedure.










































Dry Cleaning

- Clean perchloroethylene can be used. Insure solvent is completely evaporated. Re-deposition must be avoided.



Work Wear Coveralls and PPE - COVERALLS - WASHING GUIDE

Washing Guide

<div></div> <div>Wash</div>	<div><div>Machine wash cycles</div><div><div></div>normal<div></div>permanent press<div></div>delicate/gentle</div><div><div>Water temperatures (maximum)</div><table><tr><td>(200F)</td><td>(160F)</td><td>(140F)</td><td>(120F)</td><td>(105F)</td><td>(65F-85F)</td></tr><tr><td>95C</td><td>70C</td><td>60C</td><td>50C</td><td>40C</td><td>30C</td></tr><tr><td>●●●●</td><td>●●●</td><td>●●</td><td>●●●</td><td>●●</td><td>●</td></tr></table><div>symbol (s)</div></div></div> <div><div></div>hand wash</div>	(200F)	(160F)	(140F)	(120F)	(105F)	(65F-85F)	95C	70C	60C	50C	40C	30C	●●●●	●●●	●●	●●●	●●	●	<div>Warning symbols for laundering</div> <div><div></div>do not wash<div></div>do not bleach<div><div></div>do not dry (used with do not wash)</div><div></div>do not iron</div>
(200F)	(160F)	(140F)	(120F)	(105F)	(65F-85F)															
95C	70C	60C	50C	40C	30C															
●●●●	●●●	●●	●●●	●●	●															
<div></div> <div>Bleach</div>	<div><div></div>any bleach when needed<div></div>only non-chlorine bleach when needed</div>																			
<div></div> <div>Dry</div>	<div><div>Tumble dry cycles</div><div><div></div>normal<div></div>permanent press<div></div>delicate/gentle</div><div><div>Tumble dry heat setting</div><div><div></div>any heat<div></div>high<div></div>medium<div></div>low<div></div>no heat/air</div></div><div><div></div>line dry/hang to dry<div></div>drip dry<div></div>dry flat</div></div>	<div>Additional instructions (in symbols or words)</div> <div><div></div>do not wring<div><div></div>do not tumble dry<div><div></div>In the shade (added to line dry, drip dry, or dry flat)</div><div></div>no steam (added to iron)</div></div>																		
<div></div> <div>Iron</div>	<div><div>Iron-dry or steam</div><div><div></div>maximum temperature 200 C (390 F) high<div></div>150 C (300 F) medium<div></div>110 C (230 F) low</div></div>																			
<div></div> <div>Dryclean</div>	<div><div>Dryclean - normal cycle</div><div><div></div>any solvent<div></div>any solvent except trichloroethylene<div></div>petroleum solvent only</div></div> <div><div></div>do not dryclean</div>	<div><div>Dryclean - additional instructions</div><div><div></div>short cycle<div></div>reduce moisture<div></div>low heat<div></div>no steam finishing</div></div>																		



Work Wear Coveralls and PPE - COVERALLS - LOGO & EMBROIDERY

Adding Logo's And Names

- Make it personal by adding a monogram or logo to your coverall to make it uniquely your very own. More and more companies are choosing to stand out from the crowd by investing in attractive print or embroidery on their company clothes.



Embroidery

- We can embroider almost anything on labels. As well as the company logo we can complement it with additional text.
- All you need to do is to tell us what you want to have. Send in an original of your logo and instructions regarding size, colors and where on the garment it should be positioned.



Work Wear Coveralls and PPE - DISPOSABLE COVERALLS

DuPont - Tyvek Barrierman (1422A) Overall, White

- Made from pure high-density polyethylene.
- •Made of continuous strong fibres
- •Lint-free & antistatically-treated.
- •High particulate, spray and splash barrier.
- •Handling and processing toxic or corrosive materials; cleaning up spills, leaks and overflows; dangerous maintenance jobs such as cleaning, flushing, purging or scaling pipes and tanks.
- •Note : With DOSH Approval - JKKP BP 04/05.
- •Size S - 3XL

Packaging	: Box of 25 pcs
Country of Origin	: China
Product Code	: Tyvek 1422A



Tychem C

- DuPont™ Tychem® C, model CHA5. Hooded coverall. Available in bright yellow for high visibility and in sizes S-XXXL. Elasticated face, wrists, waist and ankles for an optimal fit, thumb loops prevent sleeves from riding up. Self-adhesive chin flap for tight seal of suit to face-masks.
- Made from a lightweight and durable fabric (<450g per garment), Tychem® C garments utilise the strength of Tyvek® and a polymeric barrier coating to offer good permeation barrier protection against a wide range of inorganic chemicals and biological hazards (even under pressure).
- Tychem® C is used for splash or pressurized splash protection in a variety of industrial environments, including pulp and paper manufacturing, food processing, chemical processing and pharmaceutical manufacturing.
- Size M - 2XL

Packaging	: Box of 50 pcs
HS Code	: 6210 1000
Country of Origin	: China
Product Code	: Tychem C





Work Wear Coveralls and PPE - SAFETY FOOT WEAR

SAFETY JOGGER - Low Cut Shoes - SafetyRun

- Leather shoe, black, Nylon mesh lining, antistatic, puncture resistant steel sole, shock proof, anti slip, steel toe cap, S1P PU sole.
- **Application areas** : Construction, Manufacturing.
- **Precaution and maintenance of the shoe** : To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator, nor nearby a heat source.



Packaging	: Box of One (1) Pair
Size	: EU 38 - EU 46
Standard	: EN ISO 20345:2011 S1P SRC
Country of Origin	: US
Product Code	: US04-LC-SAFETYRUN S1P

SAFETY JOGGER - Low Cut Shoes - X0600 S3

- Leather shoe, water repellent, black, Cambrella lining, antistatic, shock proof, anti slip, steel toe, puncture resistant steel sole, S3, PU/PU sole.
- **Application areas** : Construction, Manufacturing, Catering.
- **Precaution and maintenance of the shoe** : To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator, nor nearby a heat source.



Packaging	: Box of One (1) Pair
Size	: EU 36 - EU 47
Standard	: EN ISO 20345:2011 S3 SRC
Country of Origin	: US
Product Code	: US04-LC-X0600 S3

SAFETY JOGGER - Mid Cut Shoes - SafetyBoy

- Leather shoe, black, Nylon mesh lining, antistatic, puncture resistant steel sole, shock proof, anti slip, steel toe cap, S1P PU sole.
- **Application areas** : Construction, Manufacturing.
- **Precaution and maintenance of the shoe** : To extend the life of your shoes, we recommend to clean them regularly and to protect them with adequate products. Do not dry your shoes on a radiator, nor nearby a heat source.



Packaging	: Box of One (1) Pair
Size	: EU 36 - EU 47
Standard	: EN ISO 20345:2011 S1P SRC
Country of Origin	: US
Product Code	: US04-MC-SAFETYBOY S1P



Work Wear Coveralls and PPE - SAFETY FOOT WEAR

BLACK HAMMER Safety Shoe - Low Cut Lace up

- Available in Black and designed in a low cut and lace up manner.
- This shoe is simple yet affordable with neatly style embossed leather plus steel toe cap and slip resistant outsole.
- Slip Resistant Sole.
- Genuine Leather.
- Without Steel Midsole.

Packaging : Box of One (1) Pair
Size : UK 5 - UK 11
Product Code : BH 0991



BLACK HAMMER Safety Shoe - Ankle cut and Zip on

- Available in Brown and designed in a ankle cut and zip on.
- This shoe has more power and strength with nubuck leather plus steel toe cap, steel midsole and slip resistant outsole.
- Oil Resistant Sole.
- Genuine Leather.

Packaging : Box of One (1) Pair
Size : UK 5 - UK 11
Product Code : BH 2882



BLACK HAMMER Safety Shoe - Mid Cut, Slip On & Zip

- Available in Black and designed in mid cut and double zip for the ease of wearing.
- This shoe has more power and strength with neatly style embossed leather plus steel toe cap, steel midsole and slip resistant outsole.
- Steel Toe Cap.
- Slip Resistant Sole.
- Genuine Leather.
- Steel Midsole.

Packaging : Box of One (1) Pair
Size : UK 5 - UK 12
Product Code : BH 2333



BLACK HAMMER Safety Shoe - Mid Cut, Slip On & Zip

- Available in Brown and Black and designed in a mid cut and slip on with zip for the ease of wearing and ankle protection.
- This shoe is stylish and durable with crazy horse leather plus steel toe cap, steel midsole, Double Lock Stitch and slip resistant outsole.
- Slip Resistant Sole.
- Genuine Leather.

Packaging : Box of One (1) Pair
Size : UK 5 - UK 11
Product Code : BH 4664





Work Wear Coveralls and PPE - SAFETY FOOT WEAR

BLACK HAMMER Safety Shoe - High Cut, Slip On & Zip

- Available in Brown and Black and designed in a high cut and slip on oil resistance.
- This shoe is stylish and durable with crazy horse leather plus steel toe cap, steel midsole, Double Lock Stitch and slip resistant outsole.
- Slip Resistant Sole.
- Genuine Leather.

Packaging : Box of One (1) Pair

Size : UK 5 - UK 11

Product Code : BH 4666



KRUSHER Safety Shoe - Pull on Rigger Boot

- Available in Brown and Black.
- This shoe are designed and engineered to meet harsh working conditions. They are tough and keep going when others have worn out. The specially formulated Krushers TPU direct injection sole produces the longest-lasting soling material in safety footwear.
- Genuine leather upper.
- Oil & slip resistant.
- Electrical hazard certified.
- Antistatic.

Packaging : Box of One (1) Pair

Size : UK 5 - UK 12

Product Code : TEXAS



KING'S Safety - Pull up Boot

- Available in Black and Orange.
- Full grain leather pull-up boot.
- Dual density polyurethane (PU) sole with softer midsole to cushion shock impact (SRC Outsole).
- Lightweight & slip resistant PU sole.
- Sole resistant to oils and acids/alkalis.
- Anti-static.
- 200 Joules steel toe cap for impact and compression resistance.

Packaging : Box of One (1) Pair

Size : UK 4 - UK 12

Product Code : KWD805 & KWD805C





Work Wear Coveralls and PPE - SAFETY FOOT WEAR

Safety Waterproof PVC Boots

- Available in Yellow and Black.
- Estimated Height : 356-410mm (from heel).
- Used when protection against incessantly wet and/or muddy workplaces (water or liquid chemicals) becomes a priority over wearer comfort.
- Slip and oil resistant shock absorbent PVC Outsole.
- Antistatic.
- EN ISO 20345 S5/S4.

Packaging : Box of One (1) Pair
Size : UK 5 - UK 12
Product Code : KV20Y & KV20



KORAKOH 8000 STC (Yellow / Black)

- PVC Wellington Boots with Lining, with Steel Toe Cap.
- Colour : Yellow (Top) , Black (Sole)
- Colour : Black (Top) , Brown (Sole)
- Height : 350mm
- Size : 6 (39) - 9 (42)

Packaging : Box of One (1) Pair
Country of Origin : China
Product Code : US04-WB-8000 STC





Work Wear Coveralls and PPE - HEAD PROTECTION

HM6 Industrial Safety Helmet

- HM6 ventilated high-impact Acrylonitrile Butadiene Styrene (ABS) safety helmet offers superior all day protection in various industries environment.
- HM6 is one of the best quality helmets that meets performance tests of MS183 with excellent rating.
- The latest innovative ventilation shell convects hot air out & draws in cool air, reducing helmet temperatures.
- The HM6 is equipped with optional pin-lock molded harness or ratchet webbing harness with 3 points harness depth setting.
- **International standards compliance :-**
European Standard : BS EN397-2012 by British Standard Institution.
Australia & New Zealand Standard : AS/NZS 1801-1997

Packaging	: One (1) Unit
Country of Origin	: Malaysia
Product Code	: US05-HM6-PL (Pinlock) : US05-HM6-R (Ratchet)
Availability Color	:



Pinlock Suspension



Ratchet Suspension



Replacement Chin Strap

- Adjustable & Keep Safety Helmets in place in active conditions.
- Replaceable for hygiene & comfort.





Work Wear Coveralls and PPE - HEAD PROTECTION

MSA USA V-GARD Full Brim Hat with Fastrac Suspension

- These V-Gard Protective Hats are the best-selling in North America. Polyethylene shell and self-adjusting crown straps provide comfortable, lightweight protection.
- Polyethylene shell provides superior impact protection.
- Self-adjusting crown straps ensure a comfortable fit.
- Available in a variety of colours.

Packaging	: One (1) Unit
Colors Available	: Red, White, Orange, Yellow, Green, Blue.
Standard	: ANSI/ISEA Z89.1-2009 (Class E, Type I)
Country of Origin	: USA
Product Code	



White : HMH 475369 - W	Orange : HMH 496075 - OR	Red : HMH 475371 - R
Blue : HMH 475368 - B	Yellow : HMH 475366 - YL	Green : HMH 475370 - G

MSA USA V-GARD Standard Cap with Fastrac Suspension

- These V-Gard Protective Caps are part of the same family of products and accessories recognized as the best-selling in North America. Polyethylene shell and self-adjusting crown straps provide comfortable, lightweight protection.
- Polyethylene shell provides superior impact protection.
- Self-adjusting crown straps ensure a comfortable fit.
- Available in a variety of colours.

Packaging	: One (1) Unit
Colors Available	: Red, White, Orange, Yellow, Green, Blue.
Standard	: ANSI/ISEA Z89.1-2009, AS/NZS1801-1997,
Country of Origin	: USA
Product Code	



White - HMC 475358 - W	Orange - HMC 475361 - O	Red - HMC 4753683 - R
Blue - HMC 475359 - B	Yellow - HMC 475360 - Y	Green - HMC 475362 - G




Work Wear Coveralls and PPE - HEAD PROTECTION

MSA Fas-Trac Suspension

- This premium suspension liner includes headband, nape strap, sweatband and crown straps. One-handed ratchet adjuster provides an easy-to-use, comfortable fit. Designed for easy clip-in to the V-Gard hat or cap shell.
- 4-point ratchet liner suspension system for ultimate comfort and reliability.
- Features nylon height adjusters for a custom fit.
- Easily clips into V-Gard hat or cap shell.

Packaging : One (1) Unit
Country of Origin : USA
Product Code : 10148792



Chinstraps for MSA Helmets

- Put and keep MSA helmets in their place with these comfortable, adjustable chinstraps. Available in two styles; suspension-attached and shell-attached.
- 2-, 3- and 4-point chinstraps available.
- Non-metal chinstraps keep helmets in place.
- Attaches directly to shell or suspension.
- Flexible construction and adjustable design for long-wearing comfort.

Packaging : One (1) Unit
Country of Origin : USA / CHINA
Product Code : ELASTIC CHINSTRAP W/PLASTIC HOOKS & BUCKLE – 88128 / 910001





Work Wear Coveralls and PPE - HEARING PROTECTION

3M Disposable Foam Earplug - Corded & Uncorded

- Smooth, dirt resistant surface provides better hygiene.
- Earplugs are easy to roll down for quick and easy fitting.
- Tapered design fits comfortably in earcanals.
- Soft polyurethane foam is hypoallergenic.
- Cord allows earplugs to be stored conveniently around the neck in between uses.



Packaging	: Box of 100 pairs & Box of 200 pairs
Standard	: NRR 29 CSA Class AL
Product Code	: 3M 1110 (Corded) & 3M 1100 (Uncorded)

3M Reusable Earplugs - with Plastic Cord & Storage Case

- Multi-flanged earplugs remain securely within the ear canal.
- Soft neoprene earplugs & PVC cords are washable & reusable.
- SCL80 18dB (Class 3).
- Tested for mechanical and sound attenuation characteristics in accordance with AS/NZS 1270.
- Finger grip stem to improve ease of insertion. No rolling required before insertion.



Product No	Description	Qty/Box
3M 1270	Reusable Ear Plug with Cord	100 pairs
3M 1271	Reusable Ear Plugs with Braided Cord and Storage Case	50 pairs

HOWARD LEIGHT Max - Uncorded LS-500 Dispenser refill

- Howard Leight offers a comprehensive choice of single-Use earplugs that include the comfort features your employees deserve, plus the highest SLC80 ratings available.
- An economical choice for work situations that demand a high degree of comfort, frequent changes, or where hygiene presents a problem for re-use.
- The Max is a bell shaped earplug, offering users maximum in-ear comfort, along with high attenuation.
- Smooth, soil resistant skin prevents dirt build up.
- STANDARDS : SLC80 26dB Class 5. Approved to AS/NZS 1270:2002.

Packaging	: Box of 500 pairs
Product Code	: MAX-1-D





Work Wear Coveralls and PPE – EYE PROTECTION

Safety Spectacles - IMP 9318 Starlight High Visibility

- Extremely lightweight and modern safety eyewear with outstanding field of vision and exceptional protection.
- Molded-in nose bridge provides uncompromised comfort and fit.
- Single-piece lens that will fit most faces.
- Lens specification : Anti-scratch lens and anti-fog lens.
- Lens : Polycarbonate (PC).
- Temple : Polycarbonate (PC).
- Screw : Stainless Steel.



Packaging	: 12 Pairs / Box
Standard	: EN 166 FT
Weight	: 24g
Lens Thickness	: 2mm
Lens Base Curves	: 10
Bridge width	: 30mm
Bridge height	: 20mm
Overall width (hinge to hinge)	: 135mm
Overall length (lens – tips)	: 160mm
Product Code	: US06-S-IMP-YL - S US06-S-IMP-OR - S

Safety Spectacles - AMP 9318 High End - Frame (Blue Color)

- Stylish protective eyewear combining fashion, fit and functions.
- Adjustable temple length – enables wearers to fit the eyewear to their facial profile.
- Rubber nose pads provide comfort and protect against slipping.
- Offer excellent coverage.
- Pantoscopic adjustment - allow lens angle modification.
- Lens : Polycarbonate (PC).
- Frame + Forehead : Polycarbonate (PC) + TPR.
- Ratchet : Polycarbonate (PC).
- Slider : Polycarbonate (PC).
- Tips : Polycarbonate (PC) +TPR.
- Screw : Stainless Steel.
- Nose Pad : TPR.



Packaging	: 12 Pairs / Box
Standard	: EN 166 FT
Weight	: 31.9g
Lens Thickness	: 2mm
Lens Base Curves	: 9
Bridge width	: 25mm
Bridge height	: 20mm
Overall width (hinge to hinge)	: 140mm
Overall length (lens – tips)	: 165mm-175mm
Product Code	: US06-S-AMP - C





Work Wear Coveralls and PPE – EYE PROTECTION

Safety Spectacles - Clear & Smoke

- Clear lens
- Wide vision Polycarbonate lens for impact & UV protection
- Anti-scratched lens.
- Side protection.
- Adjustable nylon arms.
- Conforms to EN166 1FT.

Packaging
Product Code

: Box of 10 pairs
: ATLAS 46BC & ATLAS 46BS



Safety Goggles - Clear

- Anti-Fog optical grade & high impact Polycarbonate Lens (Uncoated).
- Indirect ventilation, Soft flexible Vinyl frame.
- Fit over personal prescription eyewear.
- Ideal protection against dust, chemical splash & impact.
- Conforms to EN166 1BT.

Packaging
Product Code

: Box of 10 pairs
: GATRIA 49-AF





Work Wear Coveralls and PPE – HANDS PROTECTION

Full Leather Gloves

- These heavy-duty leather welding gloves feature one-piece back construction.
- Made of top grade side split leather, fully cotton lined and come with a high gauntlet cuff.
- Excellent quality and free size.
- Comes in different colors - Red, Blue and Green.

Size : Free size
Packaging : Box of 12 pairs/ 6 dozen per carton
Product Code : US03-G-FL



Semi - Leather Gloves

- These cow split working gloves are the most popular glove and offer general protection.
- Full leather forefinger, leather front on the other fingers and full leather strap across the knuckles.
- Patched palm and with cotton lined for comfort.
- Brand : UNIVERSAL.

Size : Free size
Packaging : Box of 12 pairs/ 10 dozen per carton
Product Code : US03-G-SL



Knitted Gloves

- These cotton gloves are made of natural poly cotton yarn and its offers standard protection.
- General-purpose usage at a real value.
- Comfortable and easy to wear.
- Brand : UNIVERSAL.

Size : Free size
Packaging : Box of 12 pairs/ 6 dozen per carton
Product Code : US03-G-CK



Polka Dot Gloves

- These 8.oz natural colour cotton/canvas gloves are come with a knitted wrist.
- They are impregnated with small PVC dots on both palm and forefinger for a solid grip on any coated abject.
- Comfortable and easy to wear.
- Free size.
- Brand : UNIVERSAL.

Size : Free size
Packaging : Box of 12 pairs/ 20 dozen per carton
Product Code : US03-G-PD





Work Wear Coveralls and PPE – HANDS PROTECTION

Argon Gloves

- Goatskin leather are comfortable to wear and its offer maximum durability and exceptional comfort.
- Suitable for argon welding and other general applications.
- Color grey and yellow.

Size	: Free size
Colour	: Grey and Yellow
Packaging	: Box of 12 pairs/ 12 dozen per carton
Product Code	: US03-G-A



Driver Gloves aka Argon Gloves

- Made of high quality full grain leather with binding tape.
- Extra comfort and offer high durability.
- Suitable for argon welding and others general applications.
- Color grey.

Size	: Free size
Packaging	: Box of 12 pairs/ 12 dozen per carton
Product Code	: DG-027



Max Grip - Green Gloves

- Soft and sensitive rubber coating for excellent flexibility and dexterity.
- Crinkled finish provides excellent grip.
- Seamless knitted polycotton liner increase user comfort and reduce perspiration.
- Economical version of max grip glove.
- Suitable for warehousing, refuse collection, construction, baggage handling, & etc.
- EN standard test level – 3142XX

Size	: Free size
Packaging	: Box of 12 pairs/ 10 dozen per carton
Product Code	: US03-G-MG





Work Wear Coveralls and PPE – HANDS PROTECTION

Ansell Touch N Tuff Nitrile Disposable Gloves – 92-600

- Touch N Tuff Disposable Nitrile Glove, Green, Powder-free, 4 mil, 9.5".
- Chemical resistance and provide three times the puncture resistance of latex or vinyl gloves.
- Applications : Laboratory analysis/technical work, manufacturing, maintenance and clean up.

Size	: S, M, L & XL
Packaging	: 100pcs/box, 10 boxes/carton
HS Code	: 4015 1900
Country of Origin	: Thailand
Standard	: EN 374
Product Code	: TNT 92-600



Ansell Touch N Tuff Nitrile Disposable Gloves – 92-670

- TNT - Blue Disposable Nitrile Glove, Protein-free, Powder-free (Fit To Hand).
- Thickness : 0.1mm, 9.5".
- Resistance to puncture, chemical, oil and grease.
- Note : With DOSH Approval - JKKP HP 09/01

Size	: S, M, L & XL.
Packaging	: 100pcs/box, 10 boxes/carton
HS Code	: 4015 1900
Country of Origin	: Thailand
Standard	: EN 374
Product Code	: TNT 92-670



Disposable Latex Gloves

- High-quality latex glove designed to give good chemical protection against paint, dyes, thinners, solvent, bleaches, cleaning agent, detergents, oil, grease, and etc.
- Designed for great wearing comfort.
- Non-sterile and for single use only.
- Available powdered or non-powdered.

Size	: S, M, L & XL
Packaging	: 100pcs/box, 10 boxes/carton
Product Code	: US03-G-DL-P / US03-G-DL-PF





Work Wear Coveralls and PPE – HANDS PROTECTION

Ansell Solvex Nitrile Glove

- Sol-vex Nitrile Glove, Lozenge Palm Pattern, Flock-Lined, Green, 0.38mm Thickness, 13". Offers high resistance to abrasion, snags and punctures.
- Component materials comply with FDA regulations for food contact.
- Application : Chemical processing, oil refining, petrochemicals, also suitable for food processing (red meat, poultry, vegetables, fruit, dairy and canning).

Note	: With DOSH Approval – JKK HP 03/01
Size	: 8 - 10
Packaging	: Box of 12 pairs / 12 boxes per carton
Standard	: EN 388 3-1-0-1
Product Code	: 37-176



Ansell AlphaTec Glove

- Revolutionary Ansell Grip Technology – a nitrile layer filled with microscopic channels that actively transfer oils and other lubricants away from the gripping surface.
- Consistent polymer coating significantly reduces the likelihood of chemical leakage.
- Unique combination of grip, chemical resistance and superior comfort.
- Superior tactility and dexterity for greater control, significantly reducing fatigue and Carpel Tunnel syndrome-related injuries.

Size	: 8 - 10
Packaging	: Box of 6 pairs / 12 boxes per carton
HS Code	: 4015 1900
Country of Origin	: Thailand
Standard	: EN 388 4-1-2-1
Product Code	: 58-535




Ansell Hyflex Lite Glove - Level 1

- Level 1 cut protection. Polyurethane palm coating.
- Maximum tactile sensitivity in the finger area for exceptional feel.
- Excellent fit and performance to maintain high productivity.
- Ultra-cool stretch nylon liner.
- Provides bare hand dexterity.
- Breathable nylon liner increases worker acceptance and safety compliance.
- Available in white or black.

Size	: 8 - 10
Packaging	: Box of 12 pairs / 12 pairs per carton
HS Code	: 6116 1080
Country of Origin	: China
Standard	: EN 388 3-1-3-1
Product Code	: 11-601



Seibertron® S-FLEXIBLE 04 IN GLOVES



SIZE	M, L, XL, XXL, XXXL
Best Use Oil and Gas Drilling, mining, Heavy Equipment Operation, Multi-Industrial Environment, Diving, Water Rescue, Sea Rescue, Underwater Operation, Auto Manufacture and Maintenance, Construction, Carpentry.	

1. Glove approved with latest CE EN388 2016 level 5 cut resistant standard and ANSI/ISEA A4 cut resistant.
2. Multiple 3D TPR rubber design of hand back provide maximum protective area up to 90% which greatly maximize its anti-impact ability to the external kinetic energy.
3. 13G seamless knitting glove which made of HPPE (High Performance Polyethylene) and special customized bolded glass fiber to provides level 5 cut resistant protection and anti-static ability for entire glove.
4. The double-dipped sandy nitrile palm enhances the slip resistance and abrasion resistances of glove and provides excellent waterproof and oilproof ability on the palm. Sandy nitrile coating also offers better grip power on wet, oily or dry surfaces.
5. Nitrile reinforcement between thumb and index fingers increase tear resistant and abrasion resistant ability.
6. High visible color design increases visibility and safety in working
7. Extended wrist makes protection more comprehensive
8. Excellent flexibility, comfort and breathability.

Seibertron® Gloves Adult Size Chart


Choose your glove size according to the Measurement of hand palm circumference (thumb not included).



S-FLEXIBLE 04	PALM CIRCUMFERENCE UNIT (INCH/CM)				
SIZE	M	L	XL	XXL	XXXL
CIRCUMFERENCE OF THE PALM	7.5" -7.9" 18cm-20cm	7.9" -8.7" 20cm-22cm	8.7" -9.4" 22cm-24cm	9.4" -10.2" 24cm-26cm	10.2" -11" 26cm-28cm

V-2019-7

HIGH-VIS® SDX2 ORIGINAL GLOVES



SIZE	S,M,L,XL,XXL,XXXL	COLOUR	Orange
Best use Oil & Gas Drilling, Extraction & Refining, Fracking, Tool Pushing, Mining, Demolition, Heavy Construction, Rigging, Steel metallurgy, engineering blasting, construction industry, drilling platforms, hydropower, nuclear power, thermal power construction, mechanical operation and maintenance			

1. Reflective tape on the wrist and high visible color provides high visibility and safety during daytime and night working.
2. Multiple 3D TPR rubber design of hand back provide maximum protective area up to 90% which greatly maximize its anti-impact ability to the external kinetic energy.
3. Dual Kevlar® threads (cut resistant) stitching provides better abrasion resistant ability and longer service life than normal Nylon.
4. Super abrasion resistant palm material with PVC anti-slip dots and Teflon® water resistant process make it highly abrasion resistant while providing excellent anti-slip and water & Oil resistant ability.
5. Extra slots on TPR fingers protection provide excellent fingers bending dexterity
6. One-piece material on the palm increase cut resistant ability from level 1 to level 2 (Refer to CE Rate)
7. Cuff puller design on the wrist helps to wear your glove in the proper position faster.

Seibertron® Gloves Adult Size Chart

Choose your glove size according to the Measurement of hand palm circumference (thumb not included).



SDX2	PALM CIRCUMFERENCE UNIT (INCH/CM)					
SIZE	S	M	L	XL	XXL	XXXL
CIRCUMFERENCE OF THE PALM	6.7" - 7.5" 18cm-20cm	7.5" - 8.3" 20cm-22cm	8.3" - 9.1" 22cm-24cm	9.1" - 10" 24cm-26cm	10" - 11" 26cm-28cm	11" - 11.8" 28cm-30cm

V-2019-7

Seibertron® GLOVE CLIP



COLOUR	 Yellow	 Red	 Orange	 Fluorescence Yellow
--------	--	---	--	---

Fabric: PVC plastic

Practical and effective, avoiding losses caused by lost gloves

Always keep the gloves around and reduce the damage to your hands without gloves.

Durable, good insulation, corrosion resistant

Easy to carry oily gloves



Work Wear Coveralls and PPE – HANDS PROTECTION

MECHANIX Wear FastFit - MFF-05 (Black)

The next generation of FastFit® work gloves are here. Take control with high-dexterity 0.6mm synthetic leather and stay connected with touchscreen technology in the palm of your hands. The FastFit delivers an unmatched fit with TrekDry evaporative cooling to keep your hands cool and comfortable.

- Form-fitting TrekDry material keeps working hands cool and comfortable.
- Stretch-elastic cuffs create a secure fit.
- Reinforced thumb and index finger provide added durability.
- Anatomically designed two-piece palm design eliminates material bunching.
- Pinched fingertip construction improves fingertip strength and durability.
- High-dexterity synthetic leather infused with touchscreen technology.
- Machine washable.



Size : S - 3XL
Standard : EN 388 2121X

MECHANIX Wear FastFit - M-Pact 2 (Black)

From racing to industrial safety, the M-Pact® 2 knows no bounds when it comes to protecting your hands from impact, abrasion and hand fatigue. Anatomically designed for an unbelievable fit, the M-Pact® 2 features an accordion knuckle with EVA foam padding and Thermoplastic Rubber (TPR) finger guards to protect against blunt force impact. Your palm is protected with D3O® technology to reduce impact and vibration from hand tools. Durable Armortex fingertips improve your gripping power in dry, oily and wet conditions.

- Accordion knuckle guard with high density EVA foam padding.
- Thermoplastic Rubber (TPR) closure with hook and loop provides a secure fit.
- Thermoplastic Rubber (TPR) finger guards and metacarpal protection prevent impact injuries.
- Armortex® fingertips provide durable gripping power.
- Anatomically designed palm padding with high density EVA foam.
- Extended Neoprene cuff provides added protection.
- D3O palm padding absorbs and dissipates high-impact energy through the palm.
- TrekDry® material helps keep hands cool and comfortable.
- Machine washable.



Size : S - 3XL
Standard : EN 388 3121X



Work Wear Coveralls and PPE – HANDS PROTECTION

MECHANIX DuraHide M-Pact (Black)

DuraHide™ M-Pact® leather work gloves stand tall against rough cut wood, concrete and abrasive metals. DuraHide™ performance leather delivers extreme abrasion resistance and structural integrity from construction to home improvement applications. The DuraHide M-Pact features Thermoplastic Rubber (TPR) knuckle protection that absorbs blunt force impact and meets EN 13594 impact standard. For comfort, we added D3O® palm padding to dissipate energy and reduce fatigue as the day goes on.

- Flexible Thermoplastic Rubber (TPR) closure provides a secure fit to the wrist.
- Thermoplastic Rubber (TPR) impact protection meets EN 13594 impact standard.
- Thermoplastic Rubber (TPR) pinch-point fingertip protection.
- Form-fitting TrekDry® material keeps your hands cool and comfortable while you work.
- DuraHide™ performance leather thumb reinforcement.
- DuraHide™ performance leather palm provides extreme abrasion resistance.
- D3O® palm padding absorbs and dissipates high-impact energy through the palm.
- Machine washable leather.



Size : S - 2XL
Standard : EN 13594



Work Wear Coveralls and PPE – HANDS PROTECTION

KONG Original Impact Gloves - SDX2

The original oil and gas industry glove. Co-developed by the Oil and Gas Industry Safety Committee representing ExxonMobil, ConocoPhillips, Chevron, Halliburton and many other respected industry leaders.

- **Co-Developed By OGSC** Co-developed by the Oil & Gas Industry's Safety Committee.
- **Exclusive Palm Material** 25% more abrasion resistant than normal synthetic leather.
- **KONG® Metacarpal Protection** 80% impact absorption.
- **KONG® Knuckle Protection** 90% impact absorption.
- **KONG® Patented Finger Protection** 76.4% impact absorption offers sidewall and complete fingertip protection.
- **ADDITIONAL FEATURES** CE & CA APPROVED - High Contrast Palm / Back of hand.
- **BEST USES** - Oil & Gas Drilling, Extraction & Refining, Fracking, Tool Pushing, Mining, Demolition, Heavy Construction, Rigging.



Size	: S - 3XL
Packaging	: Box of 12 Pairs
Standard	: Conforms to EN 388 4.1.3.2

Industrial Impact Glove Knit Cut 5 - INDI-KC5

The Industrial Impact Glove Knit Cut 5 is CE EN388 level 5 cut resistant and ANSI/ISEA level 3 cut resistant. It features a high visibility, foamed-nitrile palm. It's lightweight, breathable, and offers full back of hand protection on the fingers, knuckles and metacarpal bones.

- **Palm Features :**
 - Foamed nitrile coating
 - Hi-Viz palm
 - Resists saturation
 - EN388 cut level 5 out of 5
- **Glove Features :**
 - IVE™ patent pending optical technology that extends the field of visual recognition.
 - Proven maximum coverage impact protection on fingers, thumb, knuckles and metacarpal bones.
 - Duraclad saddle reinforcement.
 - 360° cut resistance; level 5 out of 5 on EN388.
 - **BEST USES** - Oil & Gas Drilling, Extraction & Refining, Fracking, Tool Pushing, Mining, Demolition, Heavy Construction, Rigging.



Size	: S - 3XL
Packaging	: Box of 12 Pairs
Standard	: Conforms to EN 388 4.1.3.2



Work Wear Coveralls and PPE – HANDS PROTECTION

KONG Deck Crew Cut 5 Abrasion Resistant - KDC5

The KONG® Deck Crew Cut 5 is designed for serious abuse and features a 4-layer palm for maximum abrasion resistance. The exclusive CT5™ cut resistant material provides cut level 5 protection. It is treated with DuPont™ Teflon® for oil and water resistance and offers complete back of hand protection that the Oil and Gas Industry demands.

- **DuPont™ Teflon® Treatment** Glove shell treatment for oil and water resistance.
- **Exclusive CT5™ Cut Resistant Material** CE EN388 level 5 ANSI/ISEA level 4
- **4 Layer Design** For maximum durability.
- **KONG® Metacarpal Protection** 80% impact absorption.
- **KONG® Knuckle Protection** 90% impact absorption.
- **KONG® Patented Finger Protection** 76.4% impact absorption offers sidewall and complete fingertip protection.
- **ADDITIONAL FEATURES** CE & CA APPROVED - High Contrast Palm / Back of hand.
- **BEST USES** Rigging, Oil & Gas Drilling, Extraction & Refining, Fracking, Tool Pushing, Mining, Demolition, Heavy Construction.



Size	: S - 3XL
Packaging	: Box of 12 Pairs
Standard	: CE EN388 level 5 ANSI/ISEA level 4

Impact Gloves - IEX-MIG

IMPACT PROTECTION

- Full Back of Hand TPR Protection

BREATHABILITY

- Ventilated Back of Hand Flex Panel

TOUCHSCREEN

- Conductive Palm & Fingers

SWEAT WIPE

- Terry Cloth Sweat Wipe

SECURE FIT

- TPR Hook & Loop Closure



Size	: S - 2XL
Packaging	: Box of 12 Pairs
Standard	: EN 388:2016/ANSI 105



Work Wear Coveralls and PPE – HANDS PROTECTION

RINGER Glove - ROUGHNECK® TEFLOC® PALM - 267



FEATURES :

- TPR impact protection on top of hand and full length of fingers
- TefLoc® grip system on palm resists oil and enhances grip
- Kevlar™ stitched palm
- Extended airprene wrist closure with TPR pull tab
- High visibility for increased safety

INDUSTRIES :

- Oil & Gas
- Construction
- Industrial

TESTING & CERTIFICATIONS :



ATTRIBUTES



IMPACT
PROTECTION



HIGH
VISIBILITY



CUT
RESISTANT



RED PALM



Size

: S - 3XL

Packaging

: Box of 12 Pairs

RINGER Glove - Turbo Plus Slip-On Cuff Orange - 118

TECHNOLOGY :

- Slip-on elastic cuff allows for easy access
- Soft and durable premium mesh fabric on top of hand for optimal comfort and flexibility
- Premium synthetic leather used for split palm construction for long lasting durability
- Wrap around index finger construction protecting vulnerable wear and tear zone
- Lightweight fabric between fingers for excellent dexterity
- Reflective logo on top of hand for increased visibility
- Touchscreen compatible

TECHNOLOGY :

- Automotive
- Engineering
- Food processing
- Manufacturing
- Material Handling
- Mining
- Oil & Gas
- Public Safety
- Public Works
- Utilities



Size

: S - 3XL

Packaging

: Box of 12 Pairs

Standard

: EN 388 3121, EN420

RINGER Glove - R-133 TURBO PLUS BLACK

FEATURES :


- Secure cuff with hook and loop rubber pull tab closure
- Soft and durable premium mesh fabric on top of hand for optimal comfort and flexibility
- Premium synthetic leather used for split palm construction for long lasting durability
- Wrap around index finger construction protecting vulnerable wear and tear zone
- Lightweight fabric between fingers for excellent dexterity
- Touchscreen compatible

INDUSTRIES :

- Automotive
- Engineering
- Food processing
- Manufacturing
- Material Handling
- Mining
- Oil & Gas
- Public Safety
- Public Works
- Utilities



TESTING & CERTIFICATIONS :



Size : S - 3XL
Packaging : Box of 12 Pairs





PRINT INSTRUCTIONS

After your “print window” opens, make sure to set “Page scaling” to “None” to guarantee correct glove size measurement.

Glove Sizing Chart

- ❶ PLACE YOUR RIGHT HAND FLAT ON THE CHART BELOW:
Align saddle of index finger and thumb at the **X**

- ❷ MEASURE THE WIDTH OF YOUR HAND:
With your hand on the chart choose the
sizing bar that sits closest to the **edge**
of your right hand.





Work Wear Coveralls and PPE – RESPIRATOR PROTECTION

3M Particulate Respirator 8511, N95

- This disposable N95 particulate respirator features the proprietary 3M Cool Flow Valve and helps provide comfortable, reliable worker respiratory protection.
- It is ideally suited for hot/dusty work settings that require long periods of wear.

Packaging : 80 pieces / case
Standard : N95
Product Code : 3M-8511-N95



3M 9322 Particulate Respirator, P2

- Proprietary 3M™ Cool Flow™ exhalation valve helps to breathe easier when working for prolonged periods.
- Hygienically individually wrapped to protect from contamination prior to use.
- Unique 3-panel design fits a wide range of face shapes and sizes, accommodates facial movements and makes the respirator easy to talk through.
- Concealed adjustable nose-clip that is metal detectable.
- Coloured straps for easy identification of protection class (blue for P2).

Packaging : 10 pieces / box
Product Code : 3M-9322



3M Dust Respirator

- This respirator is designed to help protect workers against certain non-oil particles.
- It features Advanced Electrostatic Media, welded strap attachment, soft nose foam, and an adjustable nose clip to help ensure a custom and secure seal.

Packaging : Box of 20 pcs
Standard : EN 149:2001
Product Code : 3M-8210



Face Mask

- Material : Out Layer Non Woven Material with Inner Melt Brow on Material
- Ear Loop
- Head Loop
- Tied On
- Colour : Blue / White / Green

Packaging : Box of 50 pcs
Product Code : US-FM3 / US-FM4





Work Wear Coveralls and PPE – EMERGENCY SHOWER AND EYEWASH

Portable Eyewash

- This Portable Eyewash station is ideal for remote locations. Using gravity to supply a continuous flow of clean water to injured personnel for a full 15 minutes at .4 gpm (1.5 L), this model is a reliable source for safety.
- Recognizing the full patterned flushing feature, those working in remote areas can't help but feel confident with this piece of emergency equipment day after day.
- Featuring a FDA approved high-density green polyethylene tank easily activated by pulling the yellow activation arm down to the open position.
- A wide-fill opening with threaded cap permits easy inspection, cleaning and filling.
- Relocation is simple due to the easily mounted (bracket included) and light design of this 16 gallon (60.6 L) portable.
- Measurements: 22-1/2" high, 21-1/2" wide, 19-1/2" deep (57.2 x 54.6 x 49.5 cm).



Packaging : Box of one (1) unit
HS Code : 6307 9098 990
Standard : EN 149

Emergency Eyewash

- Wall-mounted eyewash fits easily into your workplace.
- Eyewash work quickly with a simpler push of its highly visible handle.
- Eyewash spray heads use soft-flow aerators and automatic pressure compensating valve.

Packaging : Box of one (1) unit



Emergency Eyewash and Shower

- ANSI certified.
- Durable, High Performance and Affordable.
- Emergency Shower Made of Stainless Steel Pipes and Fittings.
- Can be used in various industries and areas.
- Certified and presently used in over 30 countries worldwide.

Packaging : Box of one (1) unit





Work Wear Coveralls and PPE - MARINE LIFE JACKET

About Life Jacket



How To Choose A Life Jacket

When buying a life jacket, make sure that it is SIRIM (Standard In Research Institution of Malaysia) - approved so you can be sure of a safe and quality product. Choose the type that fits the kind of boating you would be doing. Before you buy a life jacket, be sure to try it on to ensure a good fit.

- Match your weight and size with the specifications on the label. Make sure the lifejacket is suitably fitted for each individual wearer, especially children.
- Pull the life jacket up by the shoulders to make sure the nose and ears do not slip through. Also look for head support and a strap between the legs for younger children.

Of course if comfort and style is high on your requirements, choose a life jacket that you look and feel good in.

How To Use A Life Jacket

Practice wearing it in shallow water to get a feel of it. Have children practice too so that they would not panic and roll over in the water in an emergency. Ensure that all zippers, straps and buckles are correctly fitted. Ease yourself into the water and allow your body to float freely. Your mouth should be out of the water and you should be able to float comfortably without any effort. If the jacket rides up, try securing it tighter to your body. You should also be able to swim without much restriction.



Work Wear Coveralls and PPE - MARINE LIFE JACKET

Life Jacket (GS2200 Adult)

- Max. Waist size up to 40" / Size XL
- Economical priced, 2 Webbing Belts
- S.O.S. Whistle
- 1 security Leg Strap
- 2 water proof reflectors
- 210D Orange color (outer shell), 210D Black color (inner shell),
- 2 nos. of 1 ½" Webbing Belt
- 1 nos. S.O. S. Whistle,
- 1 nos. Jockey Strap
- Good for All round water sports/boating use.
- For extra safety, your life jacket should have a signalling device or whistle attached to it so you can attract attention to yourself quickly in case of emergency.
- Available Colour : Orange

Packaging

: Individually Packed in a poly-bag

Product Code

: US01-LJ-2200 ADULT



Work Vest WV-10

- Max. Waist size up to 40" / Size XL
- Economical priced, 2 Webbing Belts
- **Description** : Type V, inherently buoyant, 3 piece vinyl coated foam work vest.
- **Materials** : PVC based closed cell foam, liquid vinyl, 1" black polypropylene webbing, aluminum slides, plastic or stainless steel buckle, reflective tape is optional. All materials are U.S.C.G. and U.L. approved.
- **Buoyancy** : Minimum Buoyancy as required by U.S.C.G. Specifications for Approval Number 160.053/70/0 is 17 ½ lbs. Our Design Buoyancy = 18 ¾ ± ½ lbs
- U.S.C.G. Approved : 160.053/70/0
- Available Color : International Orange

Packaging

: Packing: 15 work vests per box

Product Code

: US01-LJ-WV10





Work Wear Coveralls and PPE - MARINE LIFE JACKET

I600 DELUXE MERCHANT MATE II

- Inherently Buoyant Vest – I600
- Non-reversible vest style Type I PFD designed for comfort and performance
- Aquafoam flotation foam provides a minimum of 22 lb. (98 Newton) buoyancy
- Designed to turn most unconscious wearers face up
- Offshore PFD with encircling body belt and hinged back panel
- Foam-filled collar for additional head support
- Heavy-duty 210 Denier nylon shell and lining
- 62 sq. in. (400 sq. cm.) of 3M Scotchlite Reflective Material SOLAS grade 6755 on panels and collar
- Two chest adjusters for improving flotation angle
- Special opening on back to accommodate most brands of fall protection harnesses
- Velcro patch on shoulder of vest to mount light for best visibility
- Features a USCG approved whistle with pocket for whistle and light storage



Packaging	: Individually Packed in a poly-bag
Standard	: USCG Approved Type 1
Product Code	: STEARNS I600

Stearns I222 Work Master

- US Coast Guard-approved Type III/V performance
- Soft, comfortable, closed-cell foam
- Hinged back for added manoeuvrability
- Marine mesh liner for added breathability
- Body belt with strap tunnels to reduce snag hazards
- Flotation collar keeps a swimmer's head in a position to look for help
- 62 sq. in. (400 sq. cm) of 3M™ Scotchlite™ Reflective Material SOLAS-grade 6755 on panels
- Quick-adjustment slides and easy-snap buckles for a snug fit
- Durable webbed 1-in. (2.54-cm) straps, heavy-duty nylon shell and PVC flotation foam
- 17.5 lbs. (78 Newton) buoyancy



Packaging	: Individually Packed in a poly-bag
Standard	: USCG Approved Type 1
Product Code	: STEARNS I222



Work Wear Coveralls and PPE - SAFETY PRODUCT AND SAFETY SIGNAGE

Lay Flat Fire Hose

- Internal rubber lining combined with closely woven polyester fibre.
- Direct vulcanisation, high adhesion between jacket and lining.
- Standard length: 30m
- Available colour: Red or White
- Manufactured to BS 6391 Type 1



Portable Dry Powder Fire Extinguisher MS1539

- Selection and installation should be according to MS1539 Part 3.
- Inspection and maintenance should be carried out according to MS1539 Part 4.
- Capacity, Kg : 1, 2, 4, 6, 9.
- Body material : Cold Roll Steel.
- Type of extinguisher : ABC Powder.
- Type of fire : A, B, C, E.



Fire Blanket

- These fire blankets quickly smother flames to minimize burn injuries or prevent a fire spreading.
- Coated & treated with additional fire retardant properties.
- PVC bag protect the blanket from dust and safety.
- Breaks away during an emergency.

Size	: 4ft X 4ft / 4ft X 6ft
Packaging	: 1 unit/bag 10 unit/carton
Item no	: FB44/FB46





Work Wear Coveralls and PPE - SAFETY PRODUCT AND SAFETY SIGNAGE

AMS Full Body Harness

- 1 set Full Body Harness, dual color polyester material with quick release buckle, comfortable protection pad at the back
- 2 x Lanyard with Rebar Hook
- 1 x Shock Absorber
- 1 x Carabiner

Packaging : Individually Packed in a Poly-Bag

Standards : Harness is in compliance with EN361:2002



WEBBING SLINGS

- WEBBING SLING WITH EYES
- ENDLESS WEBBING SLING

Lifting method	Direct lift WLL M = 1.0	Tightening lift WLL M = 0.8	Open lift WLL M = 2.0	Angle lift WLL θ = 45° M = 1.4	Angle lift WLL θ = 45°-60° M = 1.0	Angle lift WLL θ = 60°-90° M = 0.7	Angle lift WLL θ = 90°-180° M = 0.5
SNV = WEBBING SLINGS							
UNV = ENDLESS WEBBING SLINGS							
Diameter/color	WLL kg	WLL kg	WLL kg	WLL kg	WLL kg	WLL kg	WLL kg
25 mm white	500	400	1000	700	500	350	250
50 mm violet	1000	800	2000	1400	1000	700	500
60 mm green	2000	1600	4000	2800	2000	1400	1000
90 mm yellow	3000	2400	6000	4200	3000	2100	1500
120 mm grey	4000	3200	8000	5600	4000	2800	2000
150 mm red	5000	4000	10000	7000	5000	3500	2500
180 mm brown	6000	4800	12000	8400	6000	4200	3000
240 mm blue	8000	6400	16000	11200	8000	5600	4000
300 mm orange	10000	8000	20000	14000	10000	7000	5000
300 mm orange	12000	9600	24000	16800	12000	8400	6000

Webbing Sling

- 100% Polyester material
- Complies to ES EN 1492-1

Packaging : Individually Packed in a Poly-Bag

Ratchet Tie Down

- 100% Polyester material
- Complies to BS EN 12195-2
- Heavy duty tie down 900kg to 10,000kg are available

Packaging : Individually Packed in a Poly-Bag



Cam Buckle

- Quick release lashing from 200kg to 700kg

Packaging : Individually Packed in a Poly-Bag





Work Wear Coveralls and PPE - SAFETY PRODUCT AND SAFETY SIGNAGE

4SAFE Body Harness

- 1 Dorsal D-ring for fall arrest
- Parachute mating buckles
- Nylon or polyester material available
- Adjustable straps
- Easy to use

Packaging : Individually Packed in a Poly-Bag
Country of Origin : Malaysia



4SAFE Single Lanyard

- Tear Web Lanyard = 1.8 Meters
- Consists of :
 - 1x Energy Absorber
 - 1x Rebar Hook
 - 1X Forged Snap Hook

Packaging : Individually Packed in a Poly-Bag
Country of Origin : Malaysia



4SAFE Twin Lanyard

- Twin Access Tear Web Lanyard x 1.8 Meters
- Consists of :
 - 1x Energy Absorber
 - 1x D Ring
 - 2x Rebar Large Hook
 - 1X Forged Snap Hook

Packaging : Individually Packed in a Poly-Bag
Country of Origin : Malaysia



4SAFE Safety Carabiner

- Screw gate : Twisted locking
- Standards : CE0082; EN362:2004
- Alloy Steel, Heat Treated
- Breaking Strength: 2,500kgs
- Weight: 178g

Packaging : Individually Packed in a Poly-Bag
Country of Origin : Malaysia





Work Wear Coveralls and PPE - SAFETY PRODUCT AND SAFETY SIGNAGE

3M DBI-SALA Workseat

- Durable polyester construction
- High strength corrosion resistant hardware
- 1 Dorsal D-ring for fall arrest with 12"x24"x1" Rigid Board, Suspension D-Ring, Body Belt with Floating D-Ring
- Medium Size
- Yellow Colour

Packaging : Individually Packed in a Poly-Bag
Country of Origin : USA
Product Code : DBI-SALA 1001133



3M DBI-SALA ExoFit Vest-Style Climbing Harness

- Built-in shoulder, back and leg comfort padding
- Back D-ring
- Front D-ring
- Quick connect chest and leg straps
- Soft, lightweight webbing
- Loops for body belt
- Anti-tear ballistic nylon
- Built-in reflective piping
- Parachute torso adjusters
- Protected labels, equipped with 3M™ Connected Safety ID (CSID)
- Large Size

Packaging : Individually Packed in a Poly-Bag
Country of Origin : USA
Product Code : DBI-SALA 1108527



3M DBI-SALA ExoFit Vest-Style Positioning/Climbing Harness

- Built-in shoulder, back and leg comfort padding
- Back D-ring
- Front D-ring
- Side D-rings
- Quick connect chest and leg straps
- Soft, lightweight webbing
- Loops for body belt
- Anti-tear ballistic nylon
- Built-in reflective piping
- Parachute torso adjusters
- Protected labels, equipped with 3M™ Connected Safety ID (CSID)
- Medium Size

Packaging : Individually Packed in a Poly-Bag
Country of Origin : USA
Product Code : DBI-SALA 1108601





Work Wear Coveralls and PPE - SAFETY PRODUCT AND SAFETY SIGNAGE

Back Support Belt

- Provides
- Back Support Belt.
- Colour : Black
- Removable suspenders with adjustable clip
- Fully enclose inner stay to keep belt from bunching
- 8" elastic back panel with 3" wide elastic V-shaped side pull
- - Size : i) S (Waist : 28-32 inches)
ii) M (Waist : 32-38 inches)
iii) L (Waist : 38-47 inches)
iv) XL (Waist : 46-56 inches)
v) XXL (Waist : 56-60 inches)
vi) XXXL (Waist : 60-66 inches)

Size : S - XL
Packaging : 1 set/box
Country of Origin : China



Safety Vest

- Zipper fastener with black bidding to Garment Edges EN471
Approved Micro-prismatic Reflective Material with 2pcs x 50mm
Horizontal Stiched Bodyband.
- Lightweight, Hard wearing Usage and Washable.
- Meets EN471 Class 2.

Size : S - 2XL
Colour : Yellow / Orange
Packaging : Per Unit in a Plastic Cover
Country of Origin : Malaysia





Work Wear Coveralls and PPE - SAFETY PRODUCT AND SAFETY SIGNAGE

Traffic Cone

- Place Traffic Cones inside or outside-anywhere you want to create a smooth flow of vehicle and pedestrian traffic. Rugged and durable.
- Cones feature a square base & triangle for maximum stability - they won't tip over in the wind or roll away if knocked over.
- Brilliant red-orange with UV stabilized to keep color from fading.
- Great choice for use at night, in dark or gloomy conditions, or in unlit areas.

Packaging : Individual pack



Barricade Tapes

- Reflective and luminous tape mark off emergency areas to make sure everyone exits safe and sound - even in places where light is dim or out.
- Carton tape and shipping tape enable you to wrap and secure items to be shipped or mailed.

Packaging : Individual pack



Safety Signages

- Constant diligence is required of facility managers whose responsibilities include ensuring that facility safety signage is frequently assessed, kept current and replaced when necessary.
- These signs that are engineered for durability and safety on surfaces such as oily drums that are close to electrical circuits.

Packaging : Individual pack



Coverall

General information - Coveralls:

EN ISO 11611:2007 : Protective clothing for use in welding and allied processes

The standard specifies minimum basic safety requirements and test methods for protective clothing that are designed to protect the wearer's body and that are to be worn during welding and allied processes with comparable risks.

EN ISO 11612:2008 : Protective clothing against heat and flame

The standard specifies the performance requirements for garments which protect the body from heat and flame (except the hands).

EN 1149-5:2008 : Electrostatic properties of protective clothing

These garments are used in environments where there is a risk of explosion (ATEX environment).
The outer fabric of the garment is anti-static.

IEC 61482-2:2009 : Standard specification for thermal effects of an electrical arc

This standard specifies requirements in regard to materials and protective clothing for electrical workers if there is an electrical arc hazard.

Introduction to FR Apparel and Standard

Nomex :

NOMEX is an aramid fiber manufactured by Dupont. For clothing applications, it is offered as NOMEX IIIA, a blend of 93% NOMEX, 5% KEVLAR, and 2% static dissipative fiber.

Applications

Petrochemicals, utilities, military, auto racing, volunteer and professional fire fighters.

Not Recommended For

Use around any molten substances, welding operations, or in a critical static control application.

Flame Resistance

NOMEX is inherently flame-resistant and this property cannot be degraded by laundering.

Colors

NOMEX is dyeable in a wide range of colors. Colorfastness to laundering varies depending on the shade. The fiber is also available in a solution dyed from where it is dyed in the fiber forming process. This limits color selection, but provides improved color fastness at increased cost.

Effect of Acids and Alkalis

NOMEX is unaffected by most acids, except for some strength loss after long exposure to hydrochloric, nitric, and sulfuric acid. It has generally good resistance to alkalis.

Flame Retardant Workwear - Antistatic

Our Coveralls now available with Antistatic properties for use in the Offshore Oil & Gas industries, the Antistatic Coverall may soon be an industry requirement.

In industries where workers might come into contact with explosive gases or where they work with electronic governing units, static electricity carried on clothing may cause explosion or fire.

The Antistatic treatment ensures any charge will dissipate thus reducing risk to the wearer.
Conforms to BS EN 1149-1

Hearing Protection

Noise Reduction Rating Method - Also known as the NRR method, typically used in USA & Canada (standard: ANSI S3.19), is a unit of measure used to determine the effectiveness of hearing protective devices to decrease sound exposure to your ear, within a given working environment. The higher the NRR number, the higher the level of noise attenuation provided by the headsets.

Single Number Rating Method - Also known as SNR method is the system typically used within the European Union (standard: EN352-1/EN352-3) to indicate the amount of protection offered by a correctly fitted hearing protective device. The higher the SNR, the higher the level of noise attenuation provided by the headsets.

Heat Stroke

Heat stroke occurs when the body is unable to regulate its temperature. The body's temperature rises rapidly, the sweating mechanism fails, and the body is unable to cool down. Heat stroke can cause death or permanent disability.

Recognizing Heat Stroke

An extremely high body temperature (above 39.5C)
Red, hot, and dry skin (no sweating)
Rapid, strong pulse
Throbbing headache
Dizziness
Nausea
Confusion
Unconsciousness

Remember the following tips:

Take Frequent Rest Breaks
Rest in a Cool Room
Don't Wait to be Thirsty
Avoid Salt Tablets
Use Appropriate Clothing and Other Protection, loose fitting, breathable, light colours and summer weight fabrics.

Protect Your Health

Protect your health by coming to work in good physical condition. Avoid alcohol for several hours before coming to work. If you have a hangover, your body needs more water than usual and you may be at greater risk to heat stress. If you have a job exposing you to long periods in the heat, or if you are on fluid pills or other medication, check with your doctor. Although these personal measures alone are not sufficient protection, they are helpful.

Contact Persons :

Melaka – Malaysia & Singapore

Mr. Lawrence Prosper

Mobile: + 6 019 656 6262

Email: lawrence.prosper@universolutions.my

Mr. Hasni bin Omar

Mobile: +6 017 620 9703

Email: lisagmelaka@hotmail.my

Univern Solutions (M) Sdn. Bhd. – Melaka

Email: admin@universolutions.my

Tel: +6 06-351 8434 / 39

Fax: +6 06-351 9344

Kuala Lumpur / Selangor - Malaysia

Mr. Rayan Daniel

Mobile : +6 016 381 2220

Email: manager@universolutions.my

Bintulu - Malaysia

Mr. Abdul Jalil

Mobile : +6 019 885 2055

Email : abuhanif490b@yahoo.com

Labuan - Malaysia

Mr. Allan Poh

Mobile : +6 016 876 6771

Email : allankingg@yahoo.com

India

Mr. Peter Prem

Mobile : +91 990 1705 999

: +91 895 1111 598

Email : peterprem007@gmail.com

Website: <http://www.universolutions.my/>



UNIVERN SOLUTIONS MALAYSIA

Your Universal Safety Solutions Provider

